

**BHARAT HEAVY ELECTRICALS LIMITED**

CORPORATE RESEARCH & DEVELOPMENT DIVISION

VIKASNAGAR, HYDERABAD - 500 093, INDIA

ENQUIRY**PHONES: 23774494 (EXCHANGE)****DIRECT: 23882104/23882204/****23778474/23776772****FAX : 91 40 23770698**

RD:DP:MPX:F-04

To

Enquiry No: Enq Date: Due Date: Delivery By:

350890261 23-AUG-08 14-OCT-08

PLEASE SUBMIT YOUR QUOTATION IN
SEALED COVER SUPERSCRIBED WITH
ENQUIRY NO, ENQUIRY DATE AND DUE DATE
SUBJECT TO OUR TERMS AND CONDITIONS
ENCLOSED, FOR THE FOLLOWING MATERIALS
SO AS TO REACH US ON OR BEFORE THE DUE
DATE BY 12 NOON. THE TENDERS WILL BE
OPENED AT 2 PM ON THE SAME DAY

Pin

Email :

Attn. .

PLEASE GIVE REFERENCE OF ENQ NUMBER , ENQ .DATE AND DUE DATE IN ALL YOUR
CORRESPONDENCE FOR PROMPT ACTION. IN CASE IF YOU ARE NOT MAKING THE OFFER
PLEASE POST A REGRET LETTER AND RETURN THE DOCUMENTS.

SL NO	DESCRIPTION / SPECIFICATION	UNIT	QTY
1	2800 kV/140 kJ IMPULSE VOLTAGE GENERATOR, POTENTIAL DIVIDER, CONTROLS AND ASSOCIATED ACCESSORIES	NO	1

NOTE: PLEASE SUBMIT YOUR OFFER IN TWO PARTS AS PER GENERAL TERMS AND
CONDITIONS OF ENQUIRY & CONTRACT FOR THE PURCHASE OF GOODS/SERVICES IN
SEPARATE SEALED COVERS AS DETAILED BELOW:

1) FIRST COVER SHALL CONTAIN THE FOLLOWING:

A) TECHNICAL COMMERCIAL BID ALONG WITH COMPLIANCE STATEMENT, MENTIONING
APPLICABLE DUTIES, TAXES ETC., AND DELIVERY TIME CLEARLY, (TERMS, CONDITIONS
AND COMPLIANCE FORM ENCLOSED)

B) A COPY OF THE PRICE BID WITHOUT THE PRICES (UNPRICED PRICE BID)

2) SECOND COVER CONTAINING PRICE BID

3) IF THE PRICE BID IS FOUND TO BE DIFFERENT FROM THE UNPRICED PRICE BID IN ANY
WAY, YOUR OFFER WILL BE REJECTED

4) GUARANTEE CERTIFICATE : REQUIRED

5) MANUFACTURER'S TEST CERTIFICATE : REQUIRED

6) ERECTION & COMMISSIONING : REQUIRED

7) ACCESSORIES : REQUIRED

8) SPARES : REQUIRED

9) VENDORS ARE REQUESTED TO QUOTE FOR ALL ITEMS IN THE ENQUIRY. INCOMPLETE /
PART OFFERS SHALL BE REJECTED.

10) ORDER WILL BE PLACED ON OVERALL COST BASIS ONLY.

IMPORTANT: TAXES & DUTIES QUOTED BY YOU WILL BE TAKEN FOR COST EVALUATION
AND ORDER PLACEMENT AND NO CHANGE WILL BE ENTERTAINED LATER EXCEPT IN THE
CASE OF CHANGES MADE BY THE GOVERNMENT. CHANGES IN TAXES AND DUTIES
BECAUSE OF THE CHANGES IN TURNOVER ETC ALSO WILL BE TO THE SUPPLIER'S
ACCOUNT. IN CASE NO TAX/DUTY IS INCLUDED, A SELF DECLARATION FOR THE
EXEMPTION MAY BE ATTACHED ALONG WITH THE OFFER.



BHARAT HEAVY ELECTRICALS LIMITED

CORPORATE RESEARCH & DEVELOPMENT DIVISION
VIKASNAGAR, HYDERABAD - 500 093, INDIA

ENQUIRY

PHONES: 23774494 (EXCHANGE)

**DIRECT: 23882104/23882204/
23778474/23776772**

FAX : 91 40 23770698

RD:DP:MPX:F-04

AS WE ARE ENGAGED IN R&D ACTIVITY "C" FORM
WILL NOT BE ISSUED

PLEASE FILL UP THE ENCLOSED VENDOR
REGISTRATION FORM AND SEND IT ALONG WITH
YOUR QUOTATION. OTHERWISE YOUR QUOTATION
WILL NOT BE CONSIDERED. (IGNORE THIS IF YOU
HAVE ALREADY SUBMITTED THIS FORM)

Yours faithfully
BHARAT HEAVY ELECTRICALS LTD

KAKKAR PK

Sr Manager

Email: pkkakkar@bhelrnd.co.in



BHARAT HEAVY ELECTRICALS LTD.,
CORPORATE R&D DIVISION
VIKAS NAGAR, HYDERABAD-500093 (INDIA)

PURCHASE SECTION
PHONE 0091 40 2377 8474
FAX 0091 40 2377 6320
Mr. P.K. Kakkar
pkkakk@bhelrnd.co.in

TECHNICAL SECTION
PHONE: 0091 40 2388 2334
Fax 0091 40 23776320
Contact: Mr. S.Rengarajan
E-mail: srenga@bhernd.co.in

Enquiry No. :

Date :

dd/ mm/ 2008

SPEC.NO.

PSHVE: 08:002/2

SPECIFICATION CUM COMPLIANCE CERTIFICATION FOR IMPULSE VOLTAGE GENERATOR

Important

1. Vendor must submit complete information against clauses Nos 13.1, 13.3 and 14.0 The offer meeting these clauses would only be processed.
2. The offer and all documents enclosed with offer should be in English language only.
3. BHEL reserves the right to verify the information submitted by the vendor. The offer with false/ incorrect/incomplete information may be rejected.
4. Vendor shall sign and stamp all sheets
5. Offers submitted shall be valid for a period of minimum 8(eight) months from date of commercial bid.
6. Revised technical bid may be necessary should the specification needs up gradation/ modification on technical scrutiny.
7. Vendor must respond to all points in the specification.

ADDRESS OF THE SUPPLIER :		ADDRESS OF THE INDIAN AGENT :			
TELEPHONE NOS.:		TELEPHONE NOS.:			
FAX NOS.:		FAX NOS.:			
CONTACT PERSON:		CONTACT PERSON:			
E-MAIL ADDRESS :		E-MAIL ADDRESS :			
SCOPE:	Design, manufacturing, pre-despatch testing, supply, installation at BHEL R&D Laboratory site and commissioning of an “Impulse Voltage Generator” and related accessories complying with following specifications and training of BHEL staff.				
Quantity:	ONE (1) Set				
Serial No.	DESCRIPTION OF REQUIREMENT	DESIRED TECH. SPECIFICATION	OFFERED	DEVIATIONS (IF ANY, ELSE PRINT NONE)	REMARKS(Only on deviations)
1.0	EQUIPMENT: 2800 kV/140 kJ Impulse Voltage Generator (IVG), controls and associated accessories.	Requirement			
1.1	Intended Use: The IVG will primarily be used for developmental tests on metal clad power equipment like GIS (rated up to 765 kV) and solid insulations in gaseous insulating medium. It will also be used for impulse testing of other UHV power equipment and components. The maximum capacitive load envisaged is3500 pF including the divider. The equipment shall be capable of operation in following modes:	Vendor to conform			

Serial No.	DESCRIPTION OF REQUIREMENT	DESIRED TECH. SPECIFICATION	OFFERED	DEVIATIONS (IF ANY, ELSE PRINT NONE)	REMARKS(Only on deviations)
1.1.1	Voltage Mode -All Stages in Series	Vendor to conform			
1.1.2	Parallel combination of stages.				
1.2	The equipment shall be designed to operate in a shielded High Voltage Laboratory (Maximum size: 24000 mm diameter x 20000 mm (planned clear height) .	Vendor to note			
1.3	The supplier should provide a complete plan and its implementation details for High Voltage Laboratory grounding suitable for IVG, so that the test system has a perfect reference potential and no abnormal voltage rise or ground interferences is encountered due to the grounding system during the operation of Impulse Generator, especially during flashovers. It is the supplier's responsibility to match the grounding system for Impulse Voltage Generator. This will come into force, immediately after placing the order on vendor for IVG. This is a part of the supply. All the required material will be supplied and work executed by the Indenter's organisation.	Vendor to agree.			
1.4	The complete equipment and accessories shall be wired for 415 V AC, 50Hz 4 wire system .	Vendor to conform			
	2.0 SPECIFICATION				
	2.1 IMPULSE GENERATOR CIRCUIT				
2.1.1	Cumulative Charging Voltage	(+/-) 2800 kV			
2.1.2	Total Energy	140 kJ			
2.1.3	Voltage per Stage	Vendor			
2.1.4	Number of stages	Vendor			
2.1.5	Charging time to full voltage	Max 90 sec			
2.1.6	Generator height including top electrode, mm	Up to 12000			
2.1.7	Top electrode suitable for maximum switching as well as lightning Impulse Voltages (both polarities).	To be designed and provided by vendor			
2.1.8	Minimum clearance to nearest earth, mm	6500 (Vendor to conform)			
2.1.9	Mounting arrangement	Resting on the floor			
2.1.10	Basic Design : Marx circuit for standard lightning impulse and switching impulse as per IEC 60060-1	Vendor to conform			
2.1.11	Minimum Lightning and switching voltage levels required considering efficiency and for 3500 pF load LI=2100 kVp; SI=1425 kVp	Vendor to conform			
2.1.12	SPARK GAP : Enclosed , totally protected and maintenance free spark gaps. Spark gap adjustment should be automatic and continuous with the variation of charging voltage.	Vendor to conform			

Serial No.	DESCRIPTION OF REQUIREMENT	DESIRED TECH. SPECIFICATION	OFFERED	DEVIATIONS (IF ANY, ELSE PRINT NONE)	REMARKS(Only on deviations)
2.1.13	Resistors : Simple plug in type, with high thermal stability and very low inductance. Colour code to identify different types of resistors. Change of resistors should be possible without dismantling of other components.	Vendor to conform			
2.1.14	Impulse wave shapes should be clear without overshoots or oscillations for the entire voltage range up to the full load. In case, any overshoot compensation is required, it shall be automatically included in the scope of supply.	Vendor to conform			
2.1.15	The generator should be of modular design with ladder facility for easy accessibility of any part of the generator by operator and change of components.	Vendor to conform			
2.1.16	Lowest voltage achievable.	Up to 50 kV			
2.2 IMPULSE VOLTAGE DIVIDER					
2.2.1	Rated voltage	2800 kV			
2.2.2	Minimum voltage Lightning Impulse rating at 3500 pF load	(+/-) 2100 kV			
2.2.3	Minimum Switching Impulse voltage rating at 3500 pF load	(+/-)1425 kV			
2.2.4	Maximum self Capacitance	Up to 500 pF			
2.2.5	Divider's total height above ground, mm (Including top electrode)	Up to 10500			
2.2.6	HV Clearance, mm	9500 mm or less (Vendor To conform)			
2.2.7	Mounting	Scratch proof Castor Wheels			
2.2.8	The divider shall be a very low inductive, capacitive voltage divider with built in damping resistors.	Vendor to conform			
2.2.9	General performance like Dynamic response, measurement accuracy and other parameters of the divider shall be in line with IEC 60060-2	Vendor to conform			
2.3 CHARGING UNIT/ HIGH VOLTAGE POWER SUPPLY					
2.3.1	Rated Output Voltage, kV	Vendor			
2.3.2	Charging Current, Amps	Vendor			
2.3.3	Duty Cycle- continuous repeating operation	Vendor to conform			
2.3.4	Input Power, kVA	100 kVA or less			
2.3.5	Polarity reversal ; Automatic with switch operation.	Vendor to conform			
2.3.6	The charging unit shall be operated from the control unit. The system automatically takes care of the efficiency so that the operator directly deals with the test voltage.	Vendor to conform			

Serial No.	DESCRIPTION OF REQUIREMENT	DESIRED TECH. SPECIFICATION	OFFERED	DEVIATIONS (IF ANY, ELSE PRINT NONE)	REMARKS(Only on deviations)
2.4	DIGITAL CONTROL SYSTEM				
2.4.1	Desk Top Display	19" TFT			
2.4.2	EMC/EMI Shielding has to be provided	Vendor to conform			
2.4.3	OS	Windows			
2.4.4	Interaction in Manual mode	by prompting			
2.4.5	RAM	As per vendor's design			
2.4.6	HDD	As per vendor's design			
2.4.7	Processor	As per vendor's design			
2.4.8	Controls	SOFT			
2.4.9	Intelligent control system, with state of art design. This unit shall control all operation of the generator automatically based on a software. In addition, manual operation shall be provided which also includes waveform capturing.	Vendor to conform			
2.4.10	The unit should be able to execute the automatic test sequence, once programmed.	Vendor to conform			
2.4.11	The control unit shall be capable of full display of the wave shape, with various events like, flashover, failures, trip settings etc.	Vendor to conform			
2.4.12	Features: Auto/manual operation, HV ON/OFF, Generation of trigger pulse, Trigger synchronisation, Polarity selection, Selection of test voltage, Number of shots to be applied and the time interval between shots, Over voltage and current protection, Safety protections and warnings, peak voltage indication, Data transfer to Impulse analyser. Failure and flashover indication, Abrupt stop in case of emergency and auto- grounding of stage capacitances.	Vendor			
2.5	DIGITAL IMPULSE ANALYSER				
2.5.1	Number of channels	2			
2.5.2	Sampling rate per channel	100 MS/Sec and above			
2.5.3	Minimum Vertical Resolution	12 bit and above			
2.5.4	Band width	50 MHz and above			
2.5.5	Over Voltage protection has to be provided	Vendor to conform			
2.5.6	OS	Windows			
2.5.7	The system capable of recording the waveform in a digital form for further analysis as per IEC 61083. Further data comparison, processing and evaluation of data by a software and report format should be available. Waveform definition and parameters shall be displayed on screen. Also the system should be calibrated and certificate to be provided.	Vendor			

Serial No.	DESCRIPTION OF REQUIREMENT	DESIRED TECH. SPECIFICATION	OFFERED	DEVIATIONS (IF ANY, ELSE PRINT NONE)	REMARKS(Only on deviations)
	CURRENT SHUNT: Suitable current shunt for the measurement of current and the necessary protection from high voltage during flashovers.				
2.6	Safety to instrument and the operating personnel should be given importance.	Vendor			
2.7	CONNECTING CONTROL CABLES				
2.7.1	Minimum Length, Meters	50			
2.7.2	Type: Shielded cables or fibre optic cables	Vendor			
2.7.3	Termination with suitable connectors	vendor			
3.0	Ambient conditions The equipment including all supplied items should work trouble free and efficiently under following operating conditions.				
3.1	Maximum ambient temperature in which generator shall function	40 °C or above			
3.2	Relative Humidity-without condensation	95% max			
3.3	Operating temperature for the control system(Range to be met)	10-30°C			
4.0	PRE-DESPATCH INSPECTION (PDI)				
4.1	All routine (relevant) tests shall be performed at supplier's works before dispatch in presence of BHEL representatives. List of tests proposed should be furnished along with the technical offer.	Vendor to agree			
5.0	DOCUMENTATION				
5.1	Four sets of following documents (Hard Copies) in English should be supplied along with the machine.				
5.2	Operating manuals for IVG and related Accessories.	Vendor to conform			
5.3	Detailed maintenance manual, circuit diagrams, assembly / sub assembly drawings shall also be supplied including part list.	Vendor to conform			
5.4	Test and Guarantee certificates	Vendor to conform			
5..5	SOFT COPY of all above documentation on CD ROM, wherever applicable	Vendor to conform			
6.0	TRAINING				
6.1	BHEL staff to be trained for acquaintance on operation and maintenance of supplied equipment at the indenter's premises persons shall be trained for mutually agreed period in area of use of all IVG features, operating instructions, warnings and precautions, location and functions of control instrumentation, interlocks, preventive and periodic maintenance, operating limitations, any unique or potentially hazardous condition which could affect safe operation, etc.	Vendor to conform			
6.2	Vendor should depute an expert conversant in English during commissioning and provide satisfactory guidance/effective training to BHEL staff.	Vendor to conform			

Serial No.	DESCRIPTION OF REQUIREMENT	DESIRED TECH. SPECIFICATION	OFFERED	DEVIATIONS (IF ANY, ELSE PRINT NONE)	REMARKS(Only on deviations)
7.0	COMMISSIONING/ DEMONSTRATION				
7.1	Required items for the commissioning of equipment within stipulated time shall be brought by supplier on the returnable basis.	Vendor to conform			
7.2	Installation and Commissioning charges can be mentioned separately, however included within the scope of supply.	Vendor to conform			
8.0	SPARES AND SERVICE				
8.1	Vendor shall support availability of spares and maintenance workforce for 10 years from date of commissioning.	Vendor to conform			
9.0	SAFETY ASPECTS: The supplier must take care of all safety aspects regarding the equipment and operating personnel. The generator system should have adequate and reliable interlocks to avoid any system damage and ensure personnel safety. The generator and the divider should not cause any flashover even at the maximum lightning and the switching impulse voltages. The equipment must have an integrated safe grounding system which shall discharge all capacitors in events of abnormality during testing.	Vendor to conform			
10.0	PACKING : Air / Sea worthy rigid packing for all items of complete equipment, all accessories and other supplied items to avoid any loss / damage in transit. When equipment is dispatched in containers, all small loose items shall be suitably packed in boxes.	Vendor to conform			
11.0	PERFORMANCE GUARANTEE : 12 months from the date of commissioning and acceptance of equipment.	Vendor to conform			
12.0	QUALITY: The Impulse generator must comply to all relevant IEC standards and basically meet IEC 60060	Vendor to conform			
13.0	GENERAL : The vendor must supply the following information about the proposed equipment along with the offer :				
13.1	Specify IVG Model No.	Vendor to specify			
13.2	All essential accessories for the satisfactory operation are to be included in the scope of supply.	Vendor			
13.3	Detailed catalogue, sketch / photographs of the machine and accessories / attachments to substantiate the various parameters should be submitted with the offer	Vendor must supply			
13.4	Total weight of the Impulse generator. This is to design the finished floor of the laboratory.	Vendor to specify			
14.0	Qualification Requirements:				
	The supplier should be of International repute and should have supplied IVG of similar rating for at least three years preferably one such set in India. The supplier should give a reference list . Further, the supplier must have service outlets / service personnel in India to support the equipment as and when required by BHEL. The design adopted must be a proven one and should have been deployed for a period of 3 years with trouble free operation.	Vendor to conform			



BHARAT HEAVY ELECTRICALS LIMITED

CORPORATE R&D DIVISION, VIKAS NAGAR, HYDERABAD – 500 093, AP, India

Ph: 0091-40 – 23778474, FAX: 0091-40 – 23770698

General Terms and Conditions of Enquiry & Contract for the Purchase of Goods/ Services

1. The quotation and any order resulting from this enquiry shall be governed by these General Terms and Conditions of enquiry and contract for the supply of goods and the supplier quoting against this enquiry shall, unless specifically stipulates any different terms or conditions, be deemed to have read and agreed to the same.
2. Sealed quotations in double cover with tenderer's distinctive seal, superscribing enquiry number, date and due date are to be submitted so as to reach on or before due date & time, addressed to **Additional General Manager(MM), Bharat Heavy Electricals Limited, Corporate Research & Development Division, Vikasnagar, Hyderabad, Andhra Pradesh, India – PIN-500 093, India.**

In the case of **Two-part bid**, each inner cover shall clearly be labeled as a) **Technical & Commercial Bid** containing technical data/ drawings/ catalogues/ quality plans along with commercial terms and conditions & copy of the price bid with the price columns left blank (unpriced price bid), b) **Price bid** containing prices quotes. Installation and/or Commissioning charges shall be spelt out in absolutely lucid terms, taking into account total charges, rather than quoting vaguely, such as charges per man-day or charges per engineer per day etc. **If the price bid was found later to be different from the unpriced price bid in any way, the offer will be rejected summarily.**

3. **Tender/ Technical bid Opening:** Unless specified otherwise, tenders/ technical bids will be opened on appointed date and time as mentioned in the enquiry or as communicated changed date/time, if any, in the presence of such of those tenderers who may be present.
4. **Delayed/ Late Tender:** Tenders, which have been posted by registered post through the postal department in time before opening date but received after tender opening, shall be treated as regular tenders. Other tenders received after tender opening time shall be treated as late tenders and normally they may be rejected.
5. The Quotation should be free from overwriting and erasures. Corrections and additions, if any, must be attested. Supplier should indicate in the quotation dimensions (Size), weight, rate etc., in the metric system unless the enquiry calls for different unit.
6. **Validity of Quotation:** All quotations shall be kept open for acceptance for a period of ninety days from the date of opening of Tenders/ Technical bid and this shall be deemed to be an express condition of all quotations. The rate shall be quoted in both figures and in words.
7. In the case of Two-part bid, the vendor should furnish technical clarifications, if any, within stipulated time mentioned, failing which, it will be construed that the vendor is not interested in the tender and BHEL shall not consider the offer for further evaluation.
8. **Revision of Pricebid:** In the event of any bidder, after finalizing the technical specifications and scope of supply, opting to revise and submit their latest price bid, then BHEL reserves the right to open their original / previous price bid also while evaluating revised bid.
9. **Pricebid Opening:** Unless specified otherwise in the enquiry, the Price bids of technically qualified vendors shall be opened with prior intimation in the presence of such of those tenderers who may be present.
10. **Conformity to Specifications:** The material should be of the best quality and shall be conforming to our specification given in our enquiry. Unless otherwise agreed upon by BHEL, no payment shall be due by BHEL in respect of any sample. Offers without details of specifications/ applicable catalogues will not be considered and are liable to be rejected.
11. **Terms of Delivery:** All suppliers shall quote the lowest prices on ex-works and FOB/FCA basis. Foreign suppliers will also indicate their Indian agent's name and address with percentage of agency commission out of the quoted price, if any. Name and Address of the supplier's Bankers address should also be given. Indian suppliers for the indigenously manufactured/ imported stock shall quote on Ex-works /Free-on-Rail/Road /FOR-destination basis, indicating packing & forwarding charges, if any, separately.
12. **Taxes and Duties:** Unless specified otherwise in the enquiry, BHEL do not provide "C" or "D" Form as it is engaged in R&D. All Indian suppliers shall clearly mention Sales Tax/ VAT, Excise Duty, and Service Tax etc, if any, payable in addition to the quoted price and indicate applicable rates/ percentage, item-wise. It will be paid

only if Registration Number under State(TIN)/ Central Sales Tax or Service Tax is specifically mentioned in the Bill/Invoice. Vendors without a Sales Tax/VAT registration and applicable Service Tax registration will not be considered.

13. **Insurance:** Insurance will be arranged by BHEL in case of Ex-Works as well as FOB basis supplies.
14. **Terms of Payment:** Full payment will be made within 30 days after receipt, inspection and acceptance of the material (and where involved, Erection and commissioning of the material/ equipment at BHEL/Destination) by Crossed cheque and no Bank commission charges are admissible. The Cheque will be sent by registered post and BHEL is in no way responsible if loss occurs due to delay by postal authorities and cheques falling into improper hands or through forgery or fraud. Suppliers having RBI-SEFT-enabled accounts can seek payment through Electronic Fund transfer. For foreign suppliers, the preferred payment term will be on Sight Draft basis and bank charges inside India will be to BHEL account and outside India will be to supplier's account.
15. Suppliers shall quote competitive price and best delivery for all the items mentioned in the enquiry. BHEL reserves the right to reject partial quotations and to place order on overall landed cost basis. Correct date of effecting supplies in the event of an order should be indicated in the offer. If the supplier's quoted terms are different from BHEL standard payment terms, interest @10.5% per annum (or as indicated in the enquiry) will be loaded to the quoted prices for difference of payment period.
16. **Packing:** The supplier shall be responsible for the goods being properly and adequately packed so as to prevent any loss, damage or deterioration during transit and indicate packing charges, if any, separately.
17. **Part/ Split Ordering:** BHEL reserves right to Order part of the item/ quantity of the enquiry and split the order among qualified vendors.
18. In case the goods enquired are on Rate Contract basis with any other unit of BHEL, such fact should be clearly indicated in the quotation giving full particulars of Rate Contract number, validity and price and also your willingness to comply with order if placed against such Rate Contract. A true copy of Rate contract signed by the supplier should be sent with the quotation.
19. **Inspection:** On receipt, the goods shall be subjected to inspection and also test, if necessary, and our decision regarding the acceptability of the goods shall be final and binding on the suppliers.
20. **Consequences of Failure To Deliver:** The time stipulated for delivery of goods shall be deemed to be the essence of the contract and delivery must be completed within the stipulated date/s. In the event of supplier's failure to supply the goods by the stipulated date/s, BHEL shall be entitled to levy a penalty of ½% per week for the delayed no of weeks or part thereof for the undelivered portion of PO subject to a maximum of 10% total order value.
21. **Withdrawal from the Contract:** In case the supplier withdraws the quotation after its acceptance by BHEL or fails to supply the goods as per the terms and conditions of contract, or at any time repudiated the contract wholly or in part, BHEL shall be at liberty to cancel the Purchase Order and to recover from the supplier the extra cost and other loss incidental to the breach of contract on the part of the supplier.
22. **Guarantee/ Warranty certificate and Manufacturer's Test report:** Invariably in all cases where it is so stipulated, the supplier should furnish Guarantee/ Warranty certificate valid for a period of 18 months from date of supply or 1 year from the date of receipt, acceptance and commissioning(or more, if provide by oem) whichever earlier and manufacturer's Test report along with the goods, failing which, BHEL shall have the right to reject the goods.
23. All ferrous/ non-ferrous items shall be colour coded as per bureau of Indian standards/ or IS standards/ BHEL Standards.
24. **Recovery of Dues:** BHEL shall recover any amount due from the supplier or any amount outstanding to the credit of the supplier with BHEL R&D unit or any other BHEL unit(s) and/or by legal action.
25. **Arbitration & Forum for Legal Proceedings:** All disputes arising in connection with indigenous/ foreign supplies shall be settled through arbitration held at Hyderabad, AP, India and arbitration shall be appointed by Arbitration Tribunal of the Federation of Andhra Pradesh Chambers of Commerce and Industry, Hyderabad, AP, India. The Courts at Secunderabad/ Hyderabad, AP, India shall have jurisdiction in respect of any suit or other legal proceeding arising from or relating to this contract

The rights and remedies of BHEL stated in these General terms and conditions shall be in addition and supplemental to its rights and remedies under law and custom or usage of trade or business and shall in no way be deemed to limit, curtail, supercede or derogate from its said rights and remedies.



ANNEXURE “AA
BHARAT HEAVY ELECTRICALS LIMITED
CORPORATE RESEARCH & DEVELOPMENT DIVISION
VIKASNAGAR, HYDERABAD – 500 093. INDIA

MATERIALS MANAGEMENT DEPARTMENT
(Information for Technical & Commercial bids with general terms)

ENCLOSURE TO ENQ No:

DATE:

- a) Please indicate(_/) for applicable or (X) for not applicable against each clause of the enquiry
- b) Vendor shall confirm their compliance for applicable clauses (_/) in their offer without deviation.

1) Technical offer:-

- a) Vendors to confirm compliance to all points of specifications, attached if any. Deviations if any should be specified in the offer.
- b) Vendors shall furnish relevant technical Documents / Catalogues. Drawings and Quality plan duly taking care of Purchase Specification and Quality requirements along with their offer in duplicate for Purchaser’s review / Verification.

2) Two Part Bid:-

Vendor shall submit their offer in 2 parts.

2.1 Technical Bid:- Containing relevant technical data, drawings, catalogues, Quality Plan etc, along with Commercial Terms and Conditions and a copy of the price bid with the price columns left blank (unpriced price bid). If the price bid was found later to be different from the unpriced price bid in any way, the offer will be rejected.

2.2 Price Bid:- Containing the Price(s) quoted. Installation and or commissioning charges shall be spelt out in absolutely lucid terms taking into account the total charges rather than quoting vaguely such as charges as per man day or charges per Engineer per day etc.,

Technical bids will be opened on the due date of the enquiry or any other date fixed by BHEL. Further, vendor should furnish clarifications, if any, required within seven days after the same is sought by Purchaser. If no clarifications/reply received within 7 days, it will be construed that vendor is not interested in the tender and Purchaser will finalise tender accordingly. Price bids received on due date along with technical offers will be recorded and opened subsequently with due intimation to vendors after finalising of technical scope of supply.

These bids shall be submitted in separate sealed covers superscribing the nature of the offer (technical bid or price bid). BHEL Enq No. Due date etc.

Note: In case of non-compliance with the TWO_-PART-BID ie.. clause number 2 and subclauses 2.1 and 2.2. Purchaser reserves the right to summarily reject all such offers.

3) Delivery:-

Vendor shall confirm supply of materials as per the delivery schedule indicated in the enquiry.

4) Negotiations:-

Vendor shall quote competitive price and best delivery to avoid negotiations.

5) Commercial Terms & Conditions:-

Terms of Delivery:

- a) **Vendors shall clearly indicate terms of delivery Viz: Ex-Works/FOR Despatching station/FOR Despatching station FOR Destination/FOB port of loading/FAS Port of loading in their offer. If the terms of delivery is Ex-Works, then vendors shall clearly indicate the following:**
 - 1. Packing and forwarding charges.**
 - 2. Documentation / Handling charges if any**
 - 3. FOB FAS charges (Inland Freight & Insurance charges from vendor works to port of Loading).**
- b) **All Indian Vendors shall clearly specify the Excise Duty in percentage applicable for their supplies. Offers containing expressions such as “Extra as applicable” or “As applicable at the time of Delivery” will be summarily rejected.**
- c) **CST/Local Sales Tax in percentage shall be clearly indicated.**

6) Validity of Quotation:-

Validity of offer should be 90 days after the opening of price bid.

7) Part or split ordering:-

Purchaser reserves the right to order part of item / quantity of the enquiry.

8) For clauses not mentioned in this document see the enclosed “GENERAL TERMS AND CONDITIONS OF ENQUIRY AND CONTRACT FOR THE PURCHASE OF GOODS”

- 9) In case your terms of payment are different from our standard payment terms, interest at the rate of 10.5% per annum (or BHEL’s standard rate of interest) will be loaded to your prices for the difference of period of payment.**



BHARAT HEAVY ELECTRICALS LIMITED
CORPORATE R&D Division
Vikasnagar, Hyderabad – 500093, India.

Suppliers' compliance statement to basic conditions of enquiry

(In case Order to be placed on Indian supplier in Indian currency)

Condition	BHEL R& D's terms	Supplier's compliance (indicate Yes/No. if 'No', state terms desired)
1) Validity of offer	90 days from the tender opening date	
2) Delivery requirements	Free delivery at our stores or FOR destination (as indicated in the enquiry)	
3)Warranty	Unless specifically mentioned in the enquiry, all supplied items to be provided with warrantee for one year (or more, if provided by the OEM) from the date of acceptance/commissioning. In case of equipment involving erection and commissioning, warrantee shall be for 18 months from the date of dispatch or 12 months from the date of commissioning, whichever is earlier	
4) Terms of payment	Full payment will be made within thirty days after receipt, inspection and acceptance of the material at BHEL R&D (and where involved, erection and commissioning of the material/equipment at BHEL/destination), by Crossed Cheque and no Bank commission charges are admissible.	
5) Taxes & Duties	Unless specifically mentioned in the enquiry, we do not provide 'C' or 'D' form. Supplier to specify rates of taxes and duties element wise and related percentages.	
6) Penalty for late delivery	0.5% per week beyond the delivery date as mentioned in the Purchase order on undelivered portion subject to a maximum of 10% of the total order value	

* BHEL R&D reserves the right to reject any offer due to non-compliance with the above conditions and/or non-receipt of this form in duly filled condition

* Any other elements of cost in addition to the above may please be specified in detail

(Signature and Stamp/Seal of Vendor)



BHARAT HEAVY ELECTRICALS LIMITED
CORPORATE R&D Division
Vikasnagar, Hyderabad – 500093.

IMPORTED

Suppliers' compliance statement to basic conditions of enquiry

(In case Order to be placed on the Principal and foreign currency)

Condition	BHEL R& D's terms	Supplier's compliance (indicate Yes/No. if 'No', state terms desired)
01) Validity of offer	90 days from the tender opening date (or as per enquiry)	
02) Delivery requirements	FCA – Nearest International Airport (or as indicated in the enquiry)	
03) Warranty	Unless specifically mentioned in the enquiry, all supplied items to be provided with warrantee for one year (or more, if provided by the OEM) from the date of acceptance/ commissioning. In case of equipment involving erection and commissioning, warrantee shall be for 18 months from the date of dispatch or 12 months from the date of commissioning, whichever is earlier	
04) Terms of payment	Sight draft. All bank charges inside India will be to BHEL R&D account and out side India will be to suppliers account. Documents through State Bank of India, HAL Complex, Balanagar, Hyderabad, AP, India-500 042.	
05) Agency commission	Pl specify percentage charges, if any. Indian agency/agent commission will be in Indian Currency only.	
06) Erection/ Commission	As per enquiry	
07) Documentation	As per enquiry	
08) Insurance	BHEL will arrange Insurance based on intimation to our Insurance agency, United India Insurance Co., DO-2, Secunderabad, AP, India.	
09) Penalty for late delivery	0.5% per week beyond the delivery date as mentioned in the Purchase order on undelivered portion subject to a maximum of 10% of the total order value	

* BHEL R&D reserves the right to reject any offer due to non-compliance with the above conditions and/or non-receipt of this form in duly filled condition

* Any other elements of cost in addition to the above may please be specified in detail

(Signature and Stamp/ Seal of Vendor)



BHARAT HEAVY ELECTRICALS LTD.
Corp. R&D DIVISION
VIKAS NAGAR,
HYDERABAD-500 093 (INDIA)

VENDOR REGISTRATION FORM

[FORM TO BE SUBMITTED* BY THE BIDDER ALONG WITH TECHNICAL-BID]

Before filling please refer to instructions on page-4

1.0 VENDOR PROFILE:

1.1 & 1.2 Name and address of the vender:

Phone Nos.:

Fax No.:

Email:

1.4 Local representative of the vender in India/ Hyderabad:

Phone Nos.:

Fax No.:

Email:

Contact person:

Mobile No.:

2.0 & 2.1 Type of Organisation:

PROPRIETORSHIP	COMPANY	SISTER CONCERN	ANY OTHER (Please specify)
PARTNERSHIP	CORPORATION	Small Scale Industry	

3.0 Annual Turn Over:

Name and address of the Banker:

Sr.No.	Bank	Address

4.0 REGISTRATION PARTICULARS

4.1 IT Permanent Account No.(PAN):

4.2 & 4.3 State and central sales tax Registration No.:

4.4 ED/ Service Tax Registration No.:

PF Account No.:

Labour Licence No.:

ESI Account No.:

5.2 Contact person:

Mobile No. :

5.3 Total Number of employees:

Graduates (Engr./Scientists/Mgmt/Fin.)	Consultants	Workers		
		Sup./Skilled	Semiskilled	Unskilled

6.0 Wish to register for supplies/ services other than one bidding for :

<u>Sr.No.</u>	<u>Service/Supplies</u>	<u>Capacity</u>
<u>1</u>		
<u>2</u>		
<u>3</u>		
<u>4</u>		
<u>5</u>		
<u>6</u>		
<u>7</u>		

6.1 Reference list :

(Only recognized public and private sector companies, attach if printed copy available)

<u>Sr.No.</u>	<u>Customer</u>	<u>Volume / Year</u>
<u>1</u>		
<u>2</u>		
<u>3</u>		
<u>4</u>		
<u>5</u>		
<u>6</u>		
<u>7</u>		

7.0 & 8.0 Infrastructure / facilities :

<u>Sr.No.</u>	<u>Facility (with specifications)</u>	<u>Age/ Year procured</u>
<u>1</u>		
<u>2</u>		
<u>3</u>		
<u>4</u>		
<u>5</u>		
<u>6</u>		
<u>7</u>		
<u>8</u>		
<u>9</u>		
<u>10</u>		

9.0 Registration with other BHEL Unit/Units:

<u>Sr.No.</u>	<u>9.1.1 Unit</u>	<u>9.1.2 Registration No.</u>
<u>1</u>		
<u>2</u>		
<u>3</u>		
<u>4</u>		

Any Other information :

Declaration:

The information furnished above is true and authentic.

(CEO / Proprietor)

SEAL:

Date:

The competent authority reserves the right to accept or reject the registration. Registered vendors will be informed by mail / email, as convenient. Contact Sr.DGM (MM) for clarification/ additional information on registration.
A separate communication will be sent to you in case of non-registration, citing reasons thereof.

Instructions

1. Answer all items, use NA for items not applicable.
2. BHEL units do not require this registration.
3. Submit the form in duplicate.
4. Use additional sheets for want of space if required.
5. Attach copies of latest documents in respect of items 4.0 (Registration no.s)
6. Photographs of registered office and the chief executive/proprietor shall be furnished.
7. Use A4 sheets for this document and the enclosures.

* REGISTERED BIDDERS, HAVING BHEL (R&D) REGISTRATION NO./ HAVE SUBMITTED THIS FORMAT EARLIER, NEED NOT FURNISH THIS INFORMATION SECOND TIME (UNLESS DESIRE TO UPDATE IT).



BHEL CORPORATE R & D
VIKAS NAGAR- HYDERABAD - 500 093
ANDHRA PRADESH – INDIA
SUPPLIER REGISTRATION FORM

(FOREIGN SUPPLIER)

ALL COLUMNS SHOULD BE PROPERLY FILLED IN THE SPACE PROVIDED FOR. WHEREVER IT IS NOT APPLICABLE PLEASE WRITE “NOT APPLICABLE”. INCOMPLETE OR INCORRECT FORMS MAY NOT BE CONSIDERED.

1.0 GENERAL INFORMATION:

1.1....NAME OF COMPANY

1.2....DETAILS OF HEAD OFFICE:

ADDRESS :
TELEPHONE :
FAX :
.EMAIL :
.WEB SITE :

1.3....DETAILS OF FACTORY/WORKS:

ADDRESS :
TELEPHONE :
FAX :
.EMAIL :
.WEB SITE :

1.4....DETAILS OF MARKETING AGENT

ADDRESS :
TELEPHONE :
.FAX :
.EMAIL :
.WEB SITE :

1.5 CHIEF EXECUTIVE

NOTE: PLEASE ATTACH SEPARATE SHEETS, IF SPACE FOUND IS INADEQUATE

AUTHORISED SIGNATORY



BHEL CORPORATE R & D
VIKAS NAGAR – HYDERABAD – 500 093
ANDHRA PRADESH – INDIA

SUPPLIER REGISTRATION FORM

(FOREIGN SUPPLIER)

- 1.6 CONTACT PERSON(S)
FOR PRODUCT OFFERED
NAME(S)
OFFICIAL CAPACITY
ADDRESS:
TELEPHONE
FAX
E-MAIL
- 1.7 YEAR OF ESTABLISHMENT
- 1.8 PRODUCTION CAPACITY PER ANNUM
- 1.9 PARTICULARS OF PRODUCT INCLUDING
SPECIFICATION AND RANGE OFFERED
FOR REGISTRATION
(ATTACH BROCHERS AND CATALOGUE)
- 1.10 NAME(S) OF BANKERS
- 1.11 BANKER’S CERTIFICATE
- 1.12 PORT OF LOADING
- 1.13 NEAREST AIRPORT
- 1.14 NAME OF THE INDIAN AGENT, IF ANY
WITH AUTHORISATION LETTER
- 1.15 ANY OTHER INFORMATION:

AUTHORISED SIGNATORY



BHEL CORPORATE R & D
VIKAS NAGAR – HYDERABAD – 500 093
ANDHRA PRADESH – INDIA

SUPPLIER REGISTRATION FORM

(FOREIGN SUPPLIER)

2.0 FINANCIAL INFORMATION

2.1...TOTAL CAPACITY

2.2...ANNUAL TURN OVER FOR LAST 3 YEARS

2.3...WHEHER CREDIT LICENSE ACCEPTABLE YES/NO

3.0 QUALITY MANAGEMENT SYSTEMS
ENCLOSED FORMAT PART-B

3.1 EXPERIENCE LIST FOR SAME/SIMILAR ITEMS
TO BE ENCLOSED

4.0.....FUTURE EXPANSION PLANS:
(GIVE DETAILS)

5.0 LIST OF ENCLOSURES:
INCLUDING BROUCHERS, CATALOGUES, TECHNICAL
LITERATURE etc...

6.0 ANY OTHER INFORMATION

SIGNATURE OF SUPPLIER
NAME
DESIGNATION
DATE
.....OFFICIAL SEAL

AUTHORISED SIGNATORY
