

NO: BHEL: IVP: SDC: EOI:22-23

Date: 23.07.2022

EXPRESSION OF INTEREST FOR INVITING VENDOR REGISTRATION APPLICATIONS

BHARAT HEAVY ELECTRICALS LIMITED [BHEL] IVP is manufacturing Industrial Valves and other Boiler accessories at its Industrial Valves Plant, Goindwal Sahib Unit. The range of valves includes Carbon Steel, Alloy Steel and Stainless Steel- Gate, Globe and Non-Return Valves (Flap Valves) of Pressure class up to C1500 of sizes 2" to 32" at present. For an annual turnover to the tune of 100 Cr. BHEL IVP has to procure various forms of raw materials, bought out items and sub-assemblies

Expression of interest and applications for registration are invited from reputed Indian manufacturers/agents of foreign manufacturers [if the manufacturer is not doing business in India directly].

We are mainly using Government e-market (GeM) portal for procurement, therefore it is request to all the vendors to participate in BHEL tender and register yourself on GeM portal (https://gem.gov.in).

Note: Material group to be selected at supplier portal (<u>www.supplier.bhel.in</u>) for submission of application is specified in bracket in item column for the below listed items.

Vendors are required for the below mentioned items:

Sr. No.	Items CURED THRO	Description of item UGH FRAMEWORK AGREEMENT OR RATE O	Approximate annual procurement value (in lakhs)
1.1	Valve Castings (GVCST)	Casting manufacturers having sound foundry infrastructure, Radiography testing, IBR certification and experience/willingness to supply castings components required for our valves sizes from 2" to 32" in material grades Carbon Steel [ASTM A 216 Gr. WCB, WCC], Alloy Steel [ASTM A 217 Gr.WC6, WC9, C12A,] and Stainless Steel [ASTM A351 Gr. CF8, CF8M,CF3M,CD3MN] and in the pressure classes of 150,300,500,600,900,1500 and above. Annual procurement Qty. is around 2000 MT.	3000



		Full radiography testing is required for 600 class and	
		above castings. Patterns are to be developed by	
		vendor himself own his own cost. No compensation	
		is provided by BHEL for pattern development.	
		Currently above-mentioned castings are procured	
		both in Raw form. Therefore, suppliers with in-	
		house castings facilities are required.	
1.2	Packing	Packing boxes of various sizes made of hard wood	
	Boxes	material used for packing of our products. Drawing	
	(Reserved	No. 2-SH-BW-022/13 & TDC:WOODENBOX/06	175
	for MSEs		170
	only)		
1.0	(GVWPK)		
1.3	Gases	Argon, oxygen and Dissolved Acetylene (DA) gases	
	(GVGAS)	are required for industrial use.	
		DA IS:308/1988 latest revision	8
		Oxygen Gas IS:309/2005 latest revision	
		High Purity Argon gas Gr-I –IS:5760/1998 latest	
M-4	<u> </u>	revision	
	•	gh Normal Tender	
2.0 Catego 2.1		Dines and Tubes are required in the following	
2.1	Pipes & Tubes	Pipes and Tubes are required in the following material grades SA 106 Gr. B, C, IS 1079, IS 513,	15
	(GVPNT)	AISI 602, SA210 Gr. A1, SA 192, SA335P22.	13
2.2	Ball Bearing	Required as per specification SPEC:SB:0002 and	
2.2	(GWBRG,	Drawing no. 3V000002888.	5
	GVBRG)	Drawing no. 5 v 000002888.	3
2.3	Cable Gland	2 types of Gland are required. One is as per Drawing	~
	(GWCGB)	No. 42000100781. Other one is SPEC:SB:0012.	5
2.4	Cam Roll	It is used in clevis bracket assembly. Required as per	
	Bearings	specifications SPEC:SB:0002.	5
	(GWCRB)		
2.5	Steel Ball	Material specification of Round Steel Ball as per	1
	(GWMBI)	TSB:047 and drawing no. 4V225304046.	1
2.6	Ring	These are required according to TCI-129.	
	Terminal	-	0.30
	(GWRGT)		
2.7	Terminal	These are required as per drawing 32020100527 and	
	Block	as per specifications SPEC:SB:0061	0.50
	(GWRGT)		
3.0 Catego	ory 2		
3.1	Bearings	As per Attached drawings 3-V-0000-02888-5-0 &	
	(GVBRG,	3V000020050-06-00	2
	GWBRG)		



3.2	Steel Rounds (GVBAS, GVBCS, GVBSS)	Carbon Steel and Stainless Steel Rolled/Forged Bar stocks of ASTM SA 105, ASTM A 182 Grades F6a C1 3, F430 (Othron), F 304 & F316 SA 193 B7, IS 1875 of sections from ø22 mm to ø300. For Technical Delivery Conditions; pl. refers to folder named "Steel Rounds".	150
3.3	Limit Switch (Light Duty and heavy duty) (GWLHD, GWLLD)	As Per TSB:018 and SPEC:SB:0001. For drawings refer to folder "Limit Switch".	5
3.4	Sintered Bronze Bush (GWSNF)	IS 3980 Gr. 1 Class A. For Drawings refer to folder "Sintered Bronze Bush".	10
4.0.Cat	tegory 3		
4.0 Cat	HSFG	M24,30 HSFG BOLTS & NUTS, Washers, Grade	
	Fasteners (GHFST)	8.8 & 10.9 are procured.	400
4.2	Actuators (GVACH , GVACL)	3Phase, Multi turn electrical actuators for Gate / Globe valve application with torque range from 3.5 Kg-M to 1600 Kg-M as per specification SPEC:AC:001.	600
4.3	Aluminum Paint - IS 13183 Grade-1 Paint (GVALP GWVGP) Verdigris Green Paint as per IS:5 Shade (Synthetic Enamel Paint (Long Alkyd) to IS2932 Verdigris Green Shade No. 280 of IS 5		3.5
4.4			10
4.5	Packing and bull rings (GVPCK)	g and Non-asbestos endless and single oblique cut circular packing rings of	
4.6	Welding Consumable s (GVW01, GVWFX)	SAW flux, E430, E410 saw wires. Cobalt base bare solid filler rod for Hard facing that conforms to ASME Sec.II.C, SFA-5.21 classification ER CoCr-A. For all the welding consumables apart from submission of vendor registration form approval from Welding Research Institute (WRI Trichy) is mandatorily required.	100



4.7	Lovejoy Flexible	As per Drawing No. 42020100727 and TSB:011.	
	Coupling		3
	(GWLJC)		
4.8	Wall blower	Two below Mentioned motors are used in Wall	
4.0	Motors	Blower:	
	(category		
	reserved for	1)0.56 KW, 415 Volts, 50 Cycles, 3 Phase induction Motor Class F Insulation	
	MSE	2)0.09 KW, 415 Volts, 50 Cycles, 3 Phase induction	60
	suppliers	Motor Class F Insulation	
	only)	As per TDC for wall blower motors TSB-019 &	
	(GWMTR)	Drawing no. 42020100303.	
5 Othors		Drawing no. 42020100303.	
5. Others	Investment	Well blower items like Neggle head costings and	
3.1		Wall blower items like Nozzle head castings and	
	Castings	bushes are procured in the Investment Castings.	20
	(GWIVC)	ASTM A 297 Gr. HH is used for Investment	
5.2	Fancina	castings.	
5.4	Forging	Carbon Steel ,Stainless Steel Forgings of ASTM SA	100
<i>5</i> 2	(GVFOR)	105, ASTM A 182 Grades F6a C13, F22,F316,F60.	
5.3	Oil Seal and Oil Seals and O ring is required according to Drawing 32000101855.		0.50
	- 8	Drawing 32000101855.	0.50
5.4	(GWOSR)		
5.4	Welding Electrodes	Welding electrodes for E430 and E410 are	
		procured. Welding Electrodes are required as per	20
	(WCW05)	sample WCP. Product approval from WRI Trichy is	
5.5	Dodlook	required. Padlock 6 Lever S 528. Refer folder "Padlock" for	
5.5	Padlock		
	(category reserved for	drawings. Reserved for MSE vendors only as per	
	MSE	govt. Policy. Only the applications given by MSE	
	.=	suppliers shall be considered for this category.	3
	suppliers		3
	only Sr. No. 197 in MSE		
	order)		
5.6	(GVPAL) Malleable	Hand wheels are used in Valves. These are	
3.0	Iron castings	procured in any of the materials between SG Iron /	
	& SG Iron	Malleable Iron/WCB. Hand wheels for valves	
	Castings, SG		40
	0 /	made of Malleable Iron are procured according to standard IS: 14329. Hand wheels for valves are	40
	Iron yoke bushes		
		procured in SG Iron according to standard GR 450/10 of IS 1865.	
	(GVCSG,	430/10 01 13 1803.	



		SG Iron yoke bushes are required for valves. The material grade for all SG iron yoke bushes will be A536 GR.65-45-12.	
5.7	Non-Ferrous Items (GVCNF)	Mainly Aluminium Bronze/ Fully machined items used in Valves and Wall blower. Weighing up to 200 gms. Approx. annual requirement of all sizes together would be 1000 nos.	2
5.8	Eye Bolts (GVEYE)	Forged eye head bolts made of ASTM A193 Gr. B7, B8M with nut made of ASTM A194 Gr. 2H and as per Technical Delivery Condition No. TDC: 5:164 & TDC: 5:166. Forged eye head lifting hooks made of IS-4190 & IS-1875 Cl 2	10
5.9	Limit Switch for Valves (GVLMS)	Limit switches for valves as per Drawing No. 4V000009930-02 and STDC:021 are required.	5
5.10	Aluminum Castings (GWALC)	Aluminum castings are required in Wall blower Assembly. For drawings refer to folder "Aluminum Castings".	100
5.11	Name/Tag Plate (GVNMP)	As per specifications.	5
5.12	Spiral Wound Gaskets (GVGSK)	Elliptical with loop and circular shaped Spiral wound gaskets with SS 316 filler. Approx. annual requirement 10000 nos. of various sizes. For sample drawings and technical delivery conditions, pl. refer to Folder named "Spiral Wound Gaskets".	15
5.13	Fasteners (Reserved for MSE vendors only) (GVFSM, GVFST GWFST)	Fasteners are procured in Grades B7/B16/B7M/IS1367/SS304/B8/B8M/PlainSteel/I S1364,1363/BPS41319/41320/41304/ASTM320Gr 7/B8/ASTM8276/IS1875/SA307/Steel Cl. 4.6,6.8, 8.8. IS2048,ASTM A182 F6,SA182 Gr F316, Stiron, IS4009,SA182 F22,ASTM 276, steel,5, 6, 22H	250
5.14	Gear Box (GVGBX)	Bevel gear boxes for Gate / Globe valve application with torque range from 11 to 1600 Kg-M as per specification MOU/TP-VALVE/VALVE GEAR BOX.	150
5.15	Element Gear Casting (GWEGC)	Grey cast iron casting as per drawing 32020100346.	5



5.16	Machining	Almost all castings and rounds/plates are to be	
	job-work	machined as per BHEL Drawings on sub-contracted	200
		basis.	

MSE's shall be given preferences as described in "Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012" & "Public Procurement Policy for Micro and Small Enterprises (MSEs) Amendment Order, 2018", subject to the submission of proper documentary evidence (i.e. UAM (Udyog Aadhaar Memorandum), District Industries Centers or Khadi and Village Industries Commission or Khadi and Village Industries Board or Coir Board or National Small Industries Corporation or Directorate of Handicrafts and Handloom or any other body specified by Ministry of Micro, Small and Medium Enterprises) with quotation. "Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012" document can be downloaded from link http://dcmsme.gov.in/FinalPressorder.pdf and can also be collected from the office of Manager/MM IVP Goindwal. Salient feature of this order are as below:

- 25% Procurement of the tender value shall be made from MSE (Micro, Small Enterprises) firms.
- 25% of the 25% quantity (i.e. 6.25% of the tender quantity) offered to the MSE's shall be reserved for MSE's owned by SC/STs. Failure to participate by any MSE owned by SC/ST's; this 6.25% quantity shall be procured from other MSEs.
- 3% from within the 25% quantity offered to the MSE's shall be reserved for women owned MSE's. Failure to participate by any MSE owned by women; this 3% quantity shall be procured from other MSEs.
- EMD shall be exempted for MSE's. All these benefits are subject to production of all statutory documents
- In tender, participating Micro and Small Enterprises quoting price within price band of L1+15 per cent shall also be allowed to supply a portion of requirement by bringing down their price to L1 price in a situation where L1 price is from someone other than a Micro and Small Enterprise and such Micro and Small Enterprise shall be allowed to supply up to 25 per cent of total tendered value. In case of more than one such Micro and Small Enterprise, the supply shall be shared proportionately (to tendered quantity).

BHEL IVP is looking for prospective raw-material manufacturers and machining job-work vendor who have well-established and sound organizational infrastructure and quality systems to work with.

BHEL IVP shall evaluate the vendors as per its established vendor selection, evaluation and registration procedure. BHEL IVP Goindwal is now following completely Online Supplier registration process. Link for online Supplier registration form is as mentioned below: https://supplier.bhel.in/

It is also informed that, for all the above items manufacturers are preferred. If any agent/stockist/ distributor/ dealer/ trader want to apply for registration, he should first confirm that his OEM is enlisted with BHEL Goindwal for that item. If his manufacturer/Principal/OEM is not enlisted for the item for which he is applying, then he



should first submit the supplier registration form of his manufacturer/Principal/OEM. After the assessment and registration of manufacturer/Principal/OEM only the application of his agent/ stockist/ distributor/ dealer/ trader can be considered.

Agents/ stockists/ distributors/ dealers/ traders can only be considered if they submit the Principal's Authorization Certificate.

Agents/ stockists/ distributors/ dealers/ traders can only be considered, if their OEM/Principal confirms us to take the services of their Agent/ stockist/ distributor/ dealer/ trader.

BHEL IVP invites such vendors to visit its plant located in Goindwal Sahib Punjab Dist-Tarn Taran on any working day from Monday to Saturday between 1000 Hrs to 1600 Hrs and contact undersigned for any clarification regarding:

Area about which information is required	Items details and requirement	Vendor registration form/procedure	Machining Job work
Phone No.	01859-224615	01859-224618	01859-224643
Email	kumarrakesh@bhel.in	amit.garg@bhel.in	mk@bhel.in

Fax: 01859-222061

BHARAT HEAVY ELECTRICALS LIMITED

INDUSTRIAL VALVES PLANT 433, INDUSTRIAL COMPLEX

GOINDWAL SAHIB, DISTT. TARN TARAN