

Bid Document

Bid Details	
Bid End Date/Time	28-04-2021 12:00:00
Bid Opening Date/Time	28-04-2021 12:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	65 (Days)
Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
Department Name	Department Of Heavy Industry
Organisation Name	Bharat Heavy Electricals Limited (bhel)
Office Name	10020009-cffp Haridwar
Total Quantity	300
Item Category	RUBBER CONE FOR WATER LEVEL GAUGE GLASS OF 15T/18T BOILER, OPERATING PR. - 12Kg/CM ² , SLEEVE FOR WATER LEVEL GAUGE GLASS OF 15T/18T BOILER, OPERATING PR. - 12Kg/CM ² , WATER LEVEL GAUGE GLASS OF 15T PH BOILER, OPERATING PR. - 12Kg/CM ² , WATER LEVEL GAUGE GLASS OF 18T PH BOILER, OPERATING PR. - 15Kg/CM ²
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
Primary product category	SLEEVE FOR WATER LEVEL GAUGE GLASS OF 15T/18T BOILER, OPERATING PR. - 12Kg/CM ²
Time allowed for Technical Clarifications during technical evaluation	2 Days
Estimated Bid Value	75912
Evaluation Method	Item wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

(a). The EMD % will be applicable for each schedule/group selected during Bid creation.

Splitting

Bid splitting not applied.

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	7080	Rubber Cone For Water Level Gauge Glass Of 15t/18t Boiler, Operating Pr. - 12kg/cm ²	100
Schedule 2	18800	Sleeve For Water Level Gauge Glass Of 15t/18t Boiler, Operating Pr. - 12kg/cm ²	100
Schedule 3	25016	Water Level Gauge Glass Of 15t Ph Boiler, Operating Pr. - 12kg/cm ²	50
Schedule 4	25016	Water Level Gauge Glass Of 18t Ph Boiler, Operating Pr. - 15kg/cm ²	50

RUBBER CONE FOR WATER LEVEL GAUGE GLASS OF 15T/18T BOILER, OPERATING PR. - 12Kg/CM² (100 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	100	60

SLEEVE FOR WATER LEVEL GAUGE GLASS OF 15T/18T BOILER, OPERATING PR. - 12Kg/CM² (100 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	100	60

WATER LEVEL GAUGE GLASS OF 15T PH BOILER, OPERATING PR. - 12Kg/CM² (50 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	50	60

WATER LEVEL GAUGE GLASS OF 18T PH BOILER, OPERATING PR. - 15Kg/CM² (50 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document

[Download](#)**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	50	60

Buyer added Bid Specific Additional Scope of Work

S.No.	Document Title	Description	Applicable i.r.o. Items
1	ITEM DETAILS (ANNEXURE-I) View	Submit the Annexure-I, along with offer	RUBBER CONE FOR WATER LEVEL GAUGE GLASS OF 15T/18T BOILER, OPERATING PR. - 12Kg/CM ² (100),SLEEVE FOR WATER LEVEL GAUGE GLASS OF 15T/18T BOILER, OPERATING PR. - 12Kg/CM ² (100),WATER LEVEL GAUGE GLASS OF 15T PH BOILER, OPERATING PR. - 12Kg/CM ² (50),WATER LEVEL GAUGE GLASS OF 18T PH BOILER, OPERATING PR. - 15Kg/CM ² (50)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Buyer Added Bid Specific Additional Terms and Conditions

- Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
- Bidder shall submit the following documents along with their bid for Vendor Code Creation:
 - Copy of PAN Card.
 - Copy of GSTIN.
 - Copy of Cancelled Cheque.
 - Copy of EFT Mandate duly certified by Bank.
- OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.
- While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.
- Scope of supply (Bid price to include all cost components) :** Only supply of Goods
- Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---